E ATOM

OUR STORY OUR PRODUCTS

CONTENTS

Our Story Our mission	3
Our Business	4
Our Product Strengths	5
Brake Cleaner	6
Anti Rust	8
Anti Rust with plastic tube	9
Anti Rust with metallic tube	10
Grease Spray	12
Carburettor – EGR Cleaner	14
Silicone Spray	15
Contact Spray	18
Synthetic Oil - Lubricant	20
Hyper Spray	22



◯ Our Story

Our story is the story of a passion, a passion that grows over time, turns into a job and matures year after year with us, grows and transforms like our family, our collaborators and our customers.



⋈ Our Mission

Exatom is a vertically integrated company producing top notch sprays with the aim to meet the most demanding projects in the market.



※ Our Business

The enterprise is based in the north part of Greece in the industrial area of a small but wonderful town called Xanthi.





○ Our Strengths ○ Our Strengths

- Specialization- We produce top-notch technical sprays for professional use only
- Internal Chemical Laboratory
- In house production capacity
- Flexibility, Quality & Cost efficiency

※ Our Product

- Custom made
- Eco friendly products

Production innovation & new category trends







BRAKE CLEANER





ΑΠΟΜΑΚΡΥΝΕΙ ΓΡΑΣΟ ΚΑΙΛΑΔΙ ΚΑΘΑΡΙΣΤΙΚΟ ΦΡΕΝΩΝ

BRAKE CLEANER

REMOVES GREASE



750 ml Art. Number: ex.01.0.750

BOX

12 sprays H 36 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 5 layers

900 sprays 75 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.01.0.500

BOX

12 sprays H 28 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 5 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.01.0.005

25 liter Art. Number: ex.01.0.025

barel Art. Number: ex.01.0.205



BRAKE CLEANER



Effective product suitable for cleaning metal surfaces from grease, oil, wax, dust, flange residues, resinous lubricants and dust from car brakes and clutches.

Special for cleaning dust from pads, discs, brake shoes, drums, caliper units and other areas of the brake mechanism.

Dissolves, removes and cleans surfaces and components from brake fluids.

- Ideal for degreasing surfaces
- It contains highly effective and fast-evaporating mixtures of solvents.
- Special spray head that provides high pressure application.
- It does not contain Acetone.
- It does not contain chlorinated hydrocarbons.
- It does not corrode metal surfaces.
- It does not affect O-rings and plastic parts.

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.

To avoid immersing sensitive and painted parts in the product for a long time.







ANTI RUST





400 ml Art. Number: ex.02.0.400

BOX

12 sprays H 21 cm L 28 cm

W 20 cm

EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.02.0.500

BOX

12 sprays H 25 cm L 28 cm W 20 cm EURO PALLET

1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 5 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.02.0.005

25 liter Art. Number: ex.02.0.025

barel Art. Number: ex.02.0.205







ANTI RUST

with plastic tube





400 ml Art. Number: ex.02.1.400

BOX

12 sprays H 21 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.02.1.500

BOX

12 sprays H 25 cm L 28 cm W 20 cm EURO PALLET
1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 5 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.02.0.005

25 liter Art. Number: ex.02.0.025

barel Art. Number: ex.02.0.205







ANTI RUST

with metallic tube





400 ml Art. Number: ex.02.2.400

BOX

12 sprays H 21 cm L 28 cm W 20 cm EURO PALLET

1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.02.2.500

BOX

12 sprays H 25 cm L 28 cm W 20 cm EURO PALLET

1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 5 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.02.0.005

25 liter Art. Number: ex.02.0.025

barel Art. Number: ex.02.0.205





X ANTI RUST



Specially formulated lubricating-unblocking liquid which is ideal for unlocking screws, nuts, nails, chains, locks, tools, fasteners, pedals, springs, hinges, etc.

It creates an invisible protective coating on the application area and protects for a long time from further corrosion.

Suitable even for the most demanding applications.

- It removes rust and scale
- It repels water and removes moisture from electrical systems
- It loosens stuck parts
- It eliminates the squeaking of metal and plastic parts
- It contains a special synthetic lubricant that lubricates and protects
- It has excellent penetrating properties
- Special valve for 360 degree spraying
- Special metal needle for accessing to the narrowest application areas.

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.

Avoid immersing sensitive and painted parts in the product for a long time.







GREASE SPRAY





400 ml Art. Number: ex.03.0.400

BOX

12 sprays H 21 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.03.0.500

BOX

12 sprays H 25 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 6 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.03.0.005

25 liter Art. Number: ex.03.0.025

barel Art. Number: ex.03.0.205





◯ GREASE SPRAY



High-performance lubricant that provides long-term lubrication.

Protects and reduces the wear of heavy components.

Prevention of wear and sticking from oxidation and abrasion, water-resistant, and it is stable to temperature changes, stress and aging.

Ideal for use on moving parts such as

- axles,
- hinges,
- car door hinges,
- chains.
- springs,
- sliding elements,
- bearing locks,
- transport rollers,
- connections,
- winches,
- gears and
- chain drive mechanisms

It is water repellent and withstands

temperatures from -18°C to +145°C.

Performs well under extreme pressures, particularly in heavy load connections.

Helps tools and equipment last longer.

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.

Avoid immersing sensitive and painted parts in the product for a long time.







CARBURETTOR

5 ||202811||201862||





400 ml Art. Number: ex.04.0.400

EURO PALLET

1st layer

180 sprays 15 boxes 1.2 x 0.8 m

EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.04.0.500

BOX

BOX

12 sprays

H 21 cm

L 28 cm

W 20 cm

12 sprays H 25 cm L 28 cm W 20 cm

EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m

EURO PALLET 5 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.04.0.005

25 liter Art. Number: ex.04.0.025

barel Art. Number: ex.04.0.205





CARBURETTOREGR CLEANER

It immediately dissolves deposits of carbon, mud, resins, grease, lacquers and pollutants from the valves, the butterfly of the carburettor and the air intake system of the engines as well as the EGR valve.

Also suitable for cleaning metal surfaces from grease, dirt, oil residues and carbon sediments. It also cleans all parts of the car engine and mechanical installations from oxidation residues and sediments

It penetrates even hard-to-block areas

- In case of persistent dirt, repeat the spraying and wait 2-3 minutes for the product to act.
- Caution!
- Due to its cleaning action, the product can affect paints and plastic parts. Clean up any quantity that is outside the scope of use. The use of special gloves, goggles and protective clothing is recommended.
- Pressurized container: to be protected from sunlight and not to be exposed to temperatures above 50°C.
- Not to be punctured or burnt even after use.
- Not to be emitted its content to a flame or incandescent body.

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.

Avoid immersing sensitive and painted parts in the product for a long time.







SILICONE SPRAY





400 ml Art. Number: ex.05.0.400

BOX

12 sprays H 21 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.05.0.500

BOX

12 sprays H 25 cm L 28 cm W 20 cm EURO PALLET 1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 6 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.05.0.005

25 liter Art. Number: ex.05.0.025

barel Art. Number: ex.05.0.205







∷ SILICONE SPRAY



High-performance lubricant that provides long-lasting lubrication for parts and tool surfaces and is used as an anti-corrosion and water repellent. It can be applied to hinges, locks and car door levers, seat belts, seals and rubber parts, sunroof rails, seat rails and other moving parts. Lubricates and protects dies, motorcycle clothing, hand tools, sliding doors, and latches. It is suitable for the lubrication of guide rails, lifting machines, chains, bearings, valves and O-rings, it is also used for the lubrication of rollers and rollers in conveyor lines and belts.

- Long lubrication duration
- Waterproofs the surfaces
- Leaves a protective transparent film
- Does not stick or attract dirt
- Protects against UV radiation
- Eliminates squeaks and friction noises
- Helps maintain the elasticity of materials
- Protects against rust and corrosion
- Resistant to high and low temperatures
- Reduces friction on rubbing and moving surfaces
- Applies to metals, rubber, plastics and wood

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.







CONTACT SPRAY





400 ml Art. Number: ex.06.0.400

BOX 12 sprays	EURO PALLET 1 st layer	EURO PALLET 7 layers
H 21 cm	180 sprays	1260 sprays
L 28 cm	15 boxes	105 boxes
W 20 cm	1.2 x 0.8 m	1.2 x 0.8 m

500 ml Art. Number: ex.06.0.500

вох	EURO PALLET	EURO PALLET
12 sprays	1 st layer	5 layers
H 25 cm	180 sprays	900 sprays
L 28 cm	15 boxes	75 boxes
W 20 cm	1.2 x 0.8 m	1.2 x 0.8 m

5 liter Art. Number: ex.06.0.005

25 liter Art. Number: ex.06.0.025

barel Art. Number: ex.06.0.205





CONTACT SPRAY



Effective electrical contact cleaner especially for car repair. Removes oxidation from electrical contacts and conductive surfaces. Cleans electrical components from dust, grease or oil. It protects the metal from oxidation and allows the current to flow. The contact spray design is ideal for use on objects that carry electricity such as electrical tools, buttons, switches, spark plugs, spark plug wires, circuit board switches, sockets, cables, fuses, plugs, and generally all electrical systems that have to be protected from moisture. The contact lubricant spray will help clean the corrosion with the use of a fine brush

- Prevents startup problems caused by moisture
- Leaves a thin film of protective oil
- It is waterproof and repels moisture
- Resistant to water, salt, weak acids.
- Offers excellent adhesion and corrosion protection.
- Excellent penetrating properties

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.

Avoid immersing sensitive and painted parts in the product for a long period of time.







SYNTHETIC OIL

5 ||202811||201873|



BOX

12 sprays

H 21 cm

L 28 cm

W 20 cm



400 ml Art. Number: ex.07.0.400

EURO PALLET
1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 7 layers

1260 sprays 105 boxes 1.2 x 0.8 m

500 ml Art. Number: ex.07.0.500

BOX 12 sprays H 25 cm

L 28 cm W 20 cm EURO PALLET

1st layer

180 sprays 15 boxes 1.2 x 0.8 m EURO PALLET 6 layers

900 sprays 75 boxes 1.2 x 0.8 m

5 liter Art. Number: ex.07.0.005

25 liter Art. Number: ex.07.0.025

barel Art. Number: ex.07.0.205





SYNTHETIC OIL LUBRICANT



Extremely high efficiency synthetic penetrating oil. It penetrates directly and efficiently between the lubricated surfaces, the gaps of the rings, in all air distribution networks. Ideal for all air tools such as air wrenches, air drills, air sanders and in general for all tools that use air. Air pistons, air valves that require a thin film of lubrication. Ideal for applications in machines that use compressed air such as packaging lines, labeling machines, filling machines, drive chains, conveyor belts, etc. It penetrates between the gaps of chains and fires. Suitable for bicycle chains

- Low viscosity synthetic lubricant
- Leaves an extremely thin protective film
- Excellent penetrating abilities
- Cleans from dust and light deposits
- Offers excellent adhesion and corrosion protection
- Excellent lubrication in the tightest gaps
- Without silicones
- Good duration of action
- It does not affect tires and seals

Always use in a well-ventilated area and avoid contact with the skin as well as inhalation of the product.

Avoid immersing sensitive and painted parts in the product for a long period of time.







HYPER SPRAY





400 ml Art. Number: ex.07.0.400

BOX
12 sprays
H 21 cm
180 sprays
L 28 cm
15 boxes
W 20 cm
1.2 x 0.8 m

FURO PALLET7 layers
1260 sprays
105 boxes
1.2 x 0.8 m

500 ml Art. Number: ex.07.0.500

BOX 12 sprays	EURO PALLET 1st layer	EURO PALLET 6 layers
H 25 cm	180 sprays	900 sprays
L 28 cm	15 boxes	75 boxes
W 20 cm	1.2 x 0.8 m	1.2 x 0.8 m

5 liter Art. Number: ex.07.0.005

25 liter Art. Number: ex.07.0.025

barel Art. Number: ex.07.0.205





HYPER SPRAY



ULTRA PROTECTIVE PENETRATING OIL AND HYDRO DISPLACER FOR CONTACTS AND PARTS

Top water displace - lubricant that displaces water and moisture from mechanical and electrical systems and installations. Immediately repels water and moisture from cable electrical installations and ignition systems in cars, trucks, motorcycles, marine engines, agricultural vehicles, earthmoving vehicles, electric motors and generally from all electrical devices. Leaves a protective lubricating coating on applied surfaces. Very necessary for use in car repair shops in industrial facilities in electrical installations. Ideal for use on marine engine electrical wiring that is prone to moisture and water! Excellent application on guns and their accessories because it works very well in terms of cleaning performance and friction reduction. Be careful when using the product on sensitive plastics and rubber.

- Completely displaces water and moisture
- Absolute protection against water and moisture on switches and plugs
- Excellent application in relays and wiring of marine vessels, cars and especially heavy vehicles such as trucks, trucks, excavators, etc.
- Cleans, lubricates and protects all weapons and their accessories
- Extinguishes small fires and is nonflammable
- Instantly cools overheated components
- Does no contains silicones
- Very long duration of action
- Does not affect tires and seals

To be used only by professionals, always in a well-ventilated area and to avoid contact with the skin as well as inhalation of the product.

